


A vertical black track lighting fixture is mounted on a wooden ceiling. The fixture has several adjustable spotlights that are illuminated, casting a warm glow. The wood grain of the ceiling is clearly visible.

Highway

GLIP[®]
THE LIGHTING PARTNER



Glip Lab è il nostro orgoglio.
Qui i progettisti sono pronti a cogliere le sfide più ardue riuscendo a prototipare e mettere in produzione modelli avveniristici che coniugano tecnologia e tradizione.
Una commessa contract, oltre ad essere una case history di pregio, è un'opportunità per inserire un nuovo sistema a catalogo.



Highway


LA LUCE CORRE LUNGO UN'ESTRUSIONE MODULARE

Highway è un sistema di illuminazione customizzabile in base alle esigenze del cliente. Esprime al meglio le capacità di Glip di cogliere le sfide più ambiziose e vincere per efficienza e praticità.



Questo prodotto è pensato per l'illuminazione di grandi spazi da esposizione.

Presenta inoltre le seguenti caratteristiche:

- luce in bi-emissione; luce indiretta con sorgente led in moduli continui e diretta con installazione di faretti orientabili;
- aggancio sgancio rapido dei faretti che rende duttile e dinamico il cambio di scenario d'illuminazione;
- sistema di fissaggio dei faretti a baionetta che garantisce il mantenimento del grado di protezione IP40 (guida CEI 64-51) di tutto il sistema Highway;
- controllo remoto di dimmerazione: 1/10 oppure DALI;
- sistema modulare lunghezza max 2,96 mt connessione moduli mediante elementi di congiunzione e connettori.
- predisposizione kit emergenza. Secondo norma UNI EN 1838.



Kit luce di emergenza opzionale.



Piastre a passo modificabile su richiesta.



Il sistema Highway è stato sviluppato per una commessa di General Contractor Lighting in occasione della realizzazione di una nuova sede aziendale di circa 22000mq, con spazi destinati a Uffici Direzionale e superficie espositiva, dove era richiesto, per un alto carico di incendio, un grado di protezione IP40 degli apparecchi illuminanti.



EDG - Venezia




AGGANCIO RAPIDO


Aggancio meccanico rapido per veloci cambi di scenari.

Profilo rettangolare a sospensione luce diretta/indiretta. Elettrificazione in tensione di rete con l'applicazione nella parte inferiore per luce diretta di proiettori 13W e nella parte superiore per luce indiretta un modulo led continuo da 24W/m.


Applicazione: Binario sospensione



interasse staffe di sospensione 1000




modulo max trave L 2960




CE



www.glip.it - info@glip.it



Glip Lab is our pride. Here, our designers welcome the most arduous of challenges, able to prototype and produce next generation models that combine technology and tradition. A new contract, as well as being a highly valued case study, is an opportunity to add a new system to the repertoire.




Highway THE LIGHT RUNS ALONG A MODULAR EXTRUSION


Highway is a customisable lighting system based on the demands of the client. It best expresses Glip's capacity to tackle the most ambitious of challenges, doing so with efficiency and practicality. This product is designed to illuminate large exhibition spaces.

It presents the following characteristics:

- 2 types of light emissions; an indirect lighting source via continuous led modules and a direct source using installation of adjustable spotlights
- Fast and easy coupling and uncoupling of spotlights, which allows the change of lighting schemes to be a fluid and dynamic process
- Bayonet spotlight attachment system, ensures the grade of protection afforded by IP40 throughout the entire Highway system
- Remote dimmer control: 1/10 or DALI
- The modular system has a maximum length of 2.96 meters and modules are connected together by specific connecting elements
- Emergency kit available according to UNI EN 1838..



Optional emergency lighting kit




Modifiable plates available on request



The Highway system has been developed by General Contractor Lighting as the result of a commission for the creation of a new 22,000 M2 commercial headquarters, with spaces accommodating a Head Office and exhibition area. Due to an increased fire risk, it was requested that IP40 grade protection be part of the lighting apparatus.



EDG - Venezia



HIGHWAY

Suspended rectangular design for direct/indirect lighting. Powered by mains electricity with direct light from 13W projectors in the lower section and indirect light from a 24W/m continuous module in the upper section.

Material: Aluminium

Colour: black, white or as requested

Supply: 220/230V

Max power projector:

13W optical 20°, 35°, 50°

Max power strip:

24W/mt – STW60 60 LED/Mt

Protection grade: IP40

Colour Temperature:

3000° K standard CRI 90

Direct brightness: 1600 Lm/spot


Indirect brightness: 2300Lm/m

Dimmable:


DALI or 1.10 with specific suppliers

Installation: Suspended track


Technical diagrams: spot




Beam



Beam connection



Technical diagrams: emergency kit



Logos
and certification



GLIP
THE LIGHTING PARTNER

Glip by S.I.L.E. Snc

via L. Scattolin, 5 - 31055 Quinto di Treviso - Italy
tel +39.0422.470614 fax +39.0422.479686

www.glip.it - info@glip.it